







Model	Description	Picture of the products	Quantity (Set)
<p>GT108WZY Pipe Inspection Robot camera</p>	<p>Suitable for diameter pipe 8-137 inch (DN200---3500MM)</p> <p>1.105mm camera head, 360° endless Rotation, 220°Tilt .</p> <p>2.industrial pixel: 4 MGP(4000000)</p> <p>3.120 times Zoom (10 times optical,12times digital)</p> <p>4.PTZ camera, auto focusing</p> <p>5. IP68 waterproof</p> <p>6..6-wheel crawler body</p> <p>7.10 inch touch screen</p> <p>8. Standard 128GB</p> <p>9.Rear camera:21mm industrial pixel: 4MPGS (4000000)</p> <p>10.Electrical lifting camera head</p> <p>11.electric cable reel with counter</p> <p>12.HDMI</p> <p>13.110/220V power supply; or for your requirements</p> <p>14.electrical barrow</p> <p>15.Support the Spanish, English, Chinese, etc different languages systems</p> <p>16,Customized: laser</p> <p>17. Report system</p>	 	<p>1</p>



Details of the main configuration

Crawler camera head



For pipes 8-137 inch (DN200---3500MM)	
Ambient light brightness	30*10000LUX.
Lifting height:	150MM, Electric lifting
Zoom	10 times optical zoom ,12 times digital zoom
Waterproof	IP68 .Up to 10m underwater.
Focus	Auto focusing
Material	Alloy steel
Camera diameter	105 mm
Rotation	360° endless Pan,220°Tilt
Adjustable brightness	3 level adjustable.
Camera light	4 PCS
Double Camera	Front and rear double camera
Camera lens pressure	110Kpa-180Kpa,robot body pressure:110Kpa-180Kpa
Rear camera ambient brightness	20*10000LUX
Rear camera:	21mm
industrial pixel:	4 MPGS/above 150m industrial pixel 4 MGPS
Rear camera viewing angle	90°
Working temperature	20C°-55C°
Front camera ambient brightness	16*10000LUX
Front camera	industrial pixel: 4 MGPS/above 150m industrial pixel :4 MGPS
Laser measurement	Customized
Fog removal	Support
Report	Support

	Inclination	support
	512HZ	Customized
	Laser	Customized
	Speed	10.2m/m (120mm wheel) /14m/m (150mm wheel)
 	Screen	12.1 Inch Tablet touch screen
	Resolution:	2560*1600
	System	Android
	Resolution	2560*1600
	Memory Card	128G (1GT Mobile HD)
	Cruise	One click cruise, the robot always works
	Reset	One-click reset of the lens
	Edit	With keyboard to edit the file in real time.
	Screen	Meter counter, slope (U 0-90° , D0-90°) , pressure are shown on the monitor
	Size	36.5*29.5*17cm
<p>Cable Reel 80-150m electric wire reel</p> 	Barrow	Electrical barrow
	Wire cable diameter	9mm.
	Material	Aviation aluminum +PC plastic
	Material of the cable	professional Kavlar
	Alarm function	Alarm button on the barrow
	Cable length	0-150m, more than 150m,we suggestion another electric wire reel(customized)
	Size:	78cm*46cm*52cm

	<p>Function :</p> <p>Remark:</p>	<p>Pull rod design, easy to carry</p>
<p>Optional</p> 	<p>512HZ Locator</p>	<p>Transmit the information</p>
<p>Remarks: Trade term: EXW Payment terms: by T/T, 100% ; Delivery time: 5-7 working days after receiving total payment Packing details: Packed in two standard export cases: ABS+Wooden case Warranty: 24 month, damage caused by no-human reason, repair is free Valid: 1 month</p>		